



**Safety Technology
International**

Product Catalogue

www.sti-emea.com



Safety Technology International

EUROPEAN OFFICE

Taylor House
34 Sherwood Road
Bromsgrove, Worcestershire
B60 3DR, UK

USA HEADQUARTERS

2306 Airport Road
Waterford, Michigan
48327-1209, USA

Phone: +44 (0)1527 520 999
Fax: +44 (0)1527 501 999
info@sti-emea.com

www.sti-emea.com



ONLINE

To preview the whole range of covers, cages, alarms and buttons, please visit our website, on computer, tablet or smartphone
sti-emea.com



HOW TO ORDER

To place an order, please send an email to the Sales Team, who will be able to assist or direct you through one of our many distributors
sales@sti-emea.com



CUSTOMER SERVICE

If you cannot find what you are looking for online, give our friendly Sales Team a call and they will be able to assist with your enquiry
+44 (0)1527 520 999



STAY CONNECTED

You will find us across these social networks. Follow us for all the latest news, product announcements and videos

TABLE OF CONTENTS

FIRE & SAFETY

Call Point Protectors	6
Euro Stopper	8
Universal Stopper & Enviro Stopper	10
Door Alarms	12
Extinguisher Alarms	14
Quick Referral Guide	16

CALL POINTS, BUTTONS & SWITCHES

ReSet Call Points	18
Waterproof ReSet Call Points	20
Global ReSet	22
Indoor Push Buttons	24
Waterproof Push Buttons	26
Key Switches	28
Stopper Stations	30
Alert Point	32

WIRELESS PRODUCTS

Residential & Commercial	
Wireless Alert Series	60
Quick Referral Guide	62

ENCLOSURES, COVERS & CAGES

Environmental Covers & Enclosures	36
Polycarbonate Enclosures with Alarms	38
Environmental Enclosures with Heater & Aircon	40
Biometric & Keypad Covers	42
Thermostat Protectors	44
Smoke & Heat Detector Cages	46
PIR & Motion Detector Cages	48
Smoke Beam Cages	50
Clocks, Bells, Beacons & Sounder Cages	52
External/Internal Lighting & CCTV Cages	54
Emergency Light Cages	56
Quick Referral Guide	58

OTHER

Testimonials	63
Accessories	64



It all started with
The Original Stopper®

ABOUT STI

It all started with a solution to a challenge

Who We Are

Family owned and operated for over 35 years, we take great pride in STI's products and exemplary service. Our entire team works just as hard to make you a satisfied customer as we do to make the world a safer place, one product at a time.

What We Do

STI manufactures protective polycarbonate covers, enclosures, push buttons, heavy-duty cages and wireless alarms to help prevent theft and vandalism to important fire and safety devices. Covers and cages protect: detectors, lights, manual call points, and much more. Alarms protect: fire extinguishers, exit doors, etc. Many options and variations of products are available to protect the things that protect you.

Where We Came From

The STI story begins three decades ago with a challenge made by a suburban Detroit school administrator who wanted to stop false fire alarms. Our Founder, Jack Taylor, used his expertise in security systems to invent the original Stopper® pull station protector. Today, STI has hundreds of innovative products that help make homes, businesses and workplaces around the world safe, smart and secure.

FIRE & SAFETY

Which Call Point Protector do you need?

Integral Cover



Problem...

- Low impact
- Accidental

Solution...

- Polycarbonate front protection

Call Point Stopper®



Problem...

- Low impact
- Accidental

Solution...

- Polycarbonate front & side protection

Euro Stopper®



Problem...

- High impact
- Malicious

Solution...

- Polycarbonate front & side protection
- 96 dB deterrent alarm

Universal Stopper®



Problem...

- High impact
- Malicious
- Environmental

Solution...

- Polycarbonate front & side protection
- 96 dB deterrent alarm
- Ingress prevention - conforms to IP56

Enviro Stopper®



Problem...

- High impact
- Malicious
- Environmental

Solution...

- Polycarbonate front & side protection
- 96 dB deterrent alarm
- Ingress prevention - up to IP66 certified

minor

False Alarm Issue?

severe

UV-stabilised polycarbonate Call Point covers protect a wide range of call points and electrical switches, without restricting legitimate operation. Ideal for shopping centres, hotels, schools, colleges, hospitals, nursing homes and all public buildings where there is a risk of accidental activation. All covers are available in a variety of colours for various applications.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 16 for dimensions.

FIRE & SAFETY

Call Point Protectors

DESIGN

Protective cover with optional integral sounder, prevents false fire alarms, without hindering legitimate operation of a manual call point in the event of an emergency.

INSTALLATION

Quick and easy to install and protecting in minutes. A simple 4 fixing installation can retrofit over existing device. Can accommodate flush or surface mount applications.



ELECTRONICS

Available with or without a 96 dB integral sounder, powered by a battery. The sounder draws immediate attention to the area.

CONSTRUCTION

Tough, clear UV-stabilised polycarbonate housing can withstand the severest of knocks preventing any vandalism or accidental damage to the manual call point or emergency button.

Euro Stopper Multi Kit allows assembly of a Fire or Access Control model. Only one cover is supplied. See website for further information



1. Universal Stopper®

Protective cover protects call points and switches without hindering legitimate operation. Suitable for indoor/outdoor use.

STI-13010FR - Flush
STI-13020FR - Flush/Sounder
STI-13110FR - Surface
STI-13120FR - Surface/Sounder

4. Stopper II®

Larger cover prevents malicious or accidental damage to large industrial call points and electrical switches. Model has a wire suspended mechanism.

STI-1100 - Flush/Sounder
STI-1130 - Surface/Sounder
STI-1200 - Flush
STI-1230 - Surface



3



5



4



6

2. Euro Stopper® Multi Kit

Protective cover prevents false fire alarms or access control MCP misuse. Supplied in kit form with glow in the dark frame. Red and green housing shells provided.

STI-15010ML - Flush
STI-15020ML - Flush/Sounder
STI-15C10ML - Surface
STI-15C20ML - Surface/Sounder

5. Weather Stopper II®

Larger weatherproof cover protects industrial MCP's and larger switches against the ingress of dust or water. Model has a wired suspended mechanism.

STI-1250 - Flush
STI-3150 - Surface

3. Call Point Stopper®

Protective cover prevents misuse and accidental damage to a wide range of electrical switches and call points.

STI-6930 - Flush
STI-6931 - Surface

6. Enviro Stopper®

IP rated (up to IP66 certified) protective enclosure ideal for extending life and reliability of devices in harsh environments.

STI-13610FR - Sealed Mounting Plate
STI-13620FR - Sealed Mounting Plate/Sounder
STI-13710FR - Open Mounting Plate
STI-13720FR - Open Mounting Plate/Sounder

The Euro Stopper is a protective cover which helps prevent malicious or accidental activation of call points and emergency switches. The Euro Stopper consists of a clear, tamper-proof, tough UV-stabilised polycarbonate cover and frame that retrofits over the device. Ideal for schools, hospitals and all public buildings where there is a history or threat of false activation.

All Euro Stoppers come as standard with a glow in the dark frame.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 16 for dimensions.

FIRE & SAFETY

Euro Stopper®

For Euro Stopper Multi Kit, standard fire & access control models, refer to Page 7

DESIGN

Protective cover with optional integral sounder. Prevents false alarms without hindering legitimate operation of the call point or emergency switch. Optional breakseal provides further security.

INSTALLATION

Quick and easy to install and protecting in minutes. A simple 4 fixing installation can retrofit over existing device. Can accommodate flush or surface mount applications.



ELECTRONICS

Available with or without a 96 dB integral sounder, powered by a 3V lithium battery. The sounder draws immediate attention to the area.

CONSTRUCTION

Tough UV-stabilised polycarbonate housing can withstand the severest of knocks preventing any vandalism or accidental damage.

BUILD IT YOUR WAY

Select from each step your preferred option to generate your desired product code

Build Your Euro Stopper®



STI-15

Step 1
Mounting

- 0 = Flush Mount
- C = 32mm Surface Spacer
- D = 50mm Surface Spacer

Step 2
Hood

- 10 = Label Hood without Sounder
- 20 = Label Hood with Sounder
- 30 = Label Hood with Sounder & Relay**
- 40 = Label Hood with Sounder & Wireless**
- 50 = Label Hood with Sounder, Wireless & Relay**

** Not available with Multi Kit Models

Step 3
Colour

No Label	Custom Label*
NK = Black	CK = Black
NB = Blue	CB = Blue
NG = Green	CG = Green
NR = Red	CR = Red
NE = Orange	CE = Orange
NW = White	CW = White
NY = Yellow	CY = Yellow

Multi Kit Models
ML = Multi Kit (allows assembly of Fire or Access Control model)

Examples:
STI-15C20-NR for Euro Stopper with 32mm Surface Spacer, Label Hood with Sounder, in Red with no label
STI-15010-CB for Euro Stopper Flush Mount, Label Hood without Sounder, in Blue with custom label

To view the full Build Your Model and further model options available, visit www.sti-emea.com

*Custom labelling available (max. 2 lines, 20 characters per line, including spaces).

The Universal Stopper and IP Rated Enviro Stopper are protective covers which help prevent malicious or accidental activations to vulnerable call points or switches. They are designed to protect devices such as call points and emergency buttons from the elements and ingress, making them suitable for indoor/outdoor use. Both models are ideal for schools, hospitals, factories and all public buildings where there is a history or threat of false activation.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 16 for dimensions.

FIRE & SAFETY

Universal Stopper® & Enviro Stopper®

DESIGN

Protective covers with or without integral sounder designed to prevent false alarms without hindering legitimate operation of a manual call point or emergency button. The Universal Stopper is retrofittable, and the Enviro Stopper is an IP Rated enclosure.

INSTALLATION

Quick and easy to install and protecting in minutes. With a simple 4 fixing installation, the Universal Stopper with an open spacer can retrofit over existing devices and can accommodate flush or surface mount applications. Enviro Stopper has a closed back box to maintain IP integrity.



ELECTRONICS

Available with or without a 96 dB integral sounder, powered by a 9V PP3 battery. The sounder draws immediate attention to the area. Optional 12-24 VDC powered units available.

CONSTRUCTION

Tough, clear UV-stabilised polycarbonate housing can withstand the severest of knocks preventing any vandalism or accidental damage.



Universal Stopper
(conforms up to IP56 when fitted with gasket)



Enviro Stopper
(conforms up to IP66)

BUILD YOUR OWN MODEL

Select from each step your preferred option to generate your desired product code

Build Your Universal & Enviro Stopper®



STI-

Step 1 Cover

13 = Dome Cover
14 = Flat Front Cover*

*Only available with Hood Option '00'

Step 2 Mounting

Universal Stopper:

0 = Flush Mount
1 = Surface Mount - Open Retrofittable Clear Spacer

Enviro Stopper:

6 = Enclosure with a Closed Back Box, 20mm Thread Point & Sealed Mounting Plate
7 = Enclosure with a Closed Back Box, 20mm Thread Point & Open Mounting Plate

Examples:

STI-13020-EG for Universal Stopper Flush Mount, Label Hood with Sounder, in Green with Emergency Exit label

STI-13610-CY for Enviro Stopper, Sealed Mounting Plate, Label Hood without Sounder, in Yellow with custom label

Step 3 Hood

00 = No Label Hood
10 = Label Hood without Sounder
20 = Label Hood with Sounder
30 = Label Hood with Sounder & Relay

NB: '00' only available with colour option 'NC'

Step 4 Colour

FR = Red Fire Label

EG = Green Emergency Exit Label

No Label	Custom Label**
NK = Black	CK = Black
NB = Blue	CB = Blue
NG = Green	CG = Green
NR = Red	CR = Red
NW = White	CW = White
NY = Yellow	CY = Yellow
NE = Orange	CE = Orange
NC = Clear	

To view the full Build Your Model and further model options available, visit www.sti-emea.com

**Custom labelling available (max. 2 lines, 20 characters per line, including spaces).

For specs & details go to sti-emea.com | 11

The Exit Stopper is a unique and highly effective way to alert you to any unauthorised exits or entries through emergency exit doors. If the protected door is opened, the electronic Exit Stopper emits a powerful 95/105 dB warning alarm and visual flashing beacon. Available in red or green.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 16 for dimensions.

FIRE & SAFETY

Door Alarms

NEW PRODUCT FEATURES!

DESIGN

Unique and highly effective way to alert you to any unauthorised exits or entries through emergency exit doors. It can also serve as an inexpensive security device and help prevent theft. Comes with optional Multi Lingual Warning Instruction Label sheet.

INSTALLATION

Highly versatile, can be mounted or installed on to any type of door, including remote placement of sounder.



ELECTRONICS

The new beacon feature, provides a visual indication when the unit is 'on' and flashes when activated. It works alongside the warning alarm, powered by a 9V PP3 battery. The unit is fitted with a low battery warning. There are a number of user programmable features to suit applications needs. 12-24 connection or wireless option is available.

CONSTRUCTION

Virtually indestructible UV-stabilised polycarbonate housing.



1. Exit Stopper®

Highly effective door alarm alerts to unauthorised use of exit doors.
STI-6400 - For single door installation
STI-6402 - For double door installation
STI-6400-G - For single door installation in Green

2. Wireless Exit Stopper® with Receiver

Wireless supervision for up to 8 exit doors. Includes a STI 8-Channel Receiver.
STI-6400WIR8

3. Wireless Exit Stopper® with Voice Receiver

Wireless supervision for up to 4 exit doors. Includes a STI 4-Channel Voice Receiver.
STI-V6400WIR4

4. Wireless Exit Stopper®

Wireless alarm unit to monitor the use of emergency exit doors. Requires an STI Receiver to alert to misuse.
STI-6400WIR

The Extinguisher Stopper has proven highly effective in helping prevent theft, misuse and vandalism of fire extinguishers. The Extinguisher Stopper will leave the extinguisher accessible for emergencies and will not interfere in the event of a real fire.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 16 for dimensions.

FIRE & SAFETY

Extinguisher Alarms

**NEW DESIGN
COMING SOON!**



DESIGN

Compact design mounts easily next to the extinguisher. Comes with optional Multi Lingual Warning Instruction Label sheet.

ELECTRONICS


Sounds a powerful 95/105 dB (at 1 metre) warning alarm when activated. Powered by a 9V PP3 battery. 12-24 or wireless option is available.

INSTALLATION

The device is easy to install and a deactivation cable is supplied for ease of servicing the extinguisher. Operating cable kit is supplied allowing the connection around the neck of the extinguisher.

CONSTRUCTION

Virtually indestructible UV-stabilised polycarbonate housing.



1. Extinguisher Stopper®

Alarm unit to help prevent theft, vandalism or misuse of fire extinguishers.
STI-6200

2. Wireless Extinguisher Stopper® with Receiver

Wireless supervision for up to 8 fire extinguishers. Includes a STI 8-Channel Receiver.
STI-6200WIR8

3. Wireless Extinguisher Stopper® with Voice Receiver

Wireless supervision for up to 4 fire extinguishers. Includes a STI 4-Channel Voice Receiver.
STI-V6200WIR4

4. Wireless Extinguisher Stopper®

Wireless alarm unit to monitor the use of fire extinguishers. Requires a STI Receiver to alert to misuse.
STI-6200WIR

5. Mini Theft Stopper®

Protects freestanding or cabinet housed fire extinguishers and other equipment.
STI-6255 - Single Protection
STI-6255-M2 - Double Protection

Quick Referral Guide

Product	Dimensions (mm)	Page	Description
CALL POINT PROTECTORS			
STI-6930	91 x 89 x 23	7	Call Point Stopper - Flush Mount
STI-6931	91 x 89 x 58	7	Call Point Stopper - Surface Mount
STI-1200	140 x 127 x 81	7	Stopper II - Flush Mount (sounder model available)
STI-1230	140 x 127 x 138	7	Stopper II - Surface Mount (sounder model available)
STI-1250	140 x 127 x 81	7	Weather Stopper II - Flush Mount
STI-3150	140 x 127 x 131	7	Weather Stopper II - Surface Mount
STI-15C10ML	104 x 96 x 58	9	Euro Stopper Multi Kit - Surface Mount 32mm (sounder model available)
STI-15D10ML	104 x 96 x 82	9	Euro Stopper Multi Kit - Surface Mount 50mm (sounder model available)
STI-15010ML	104 x 96 x 32	9	Euro Stopper Multi Kit - Flush Mount (sounder model available)
STI-13010FR	138 x 116 x 64	11	Universal Stopper - Flush Mount (sounder model available)
STI-13110FR	138 x 116 x 85	11	Universal Stopper - Surface Mount (sounder model available)
STI-13610FR	135 x 114 x 44	11	Enviro Stopper - Sealed Mounting Plate (sounder model available)
STI-13710FR	135 x 114 x 44	11	Enviro Stopper - Open Mounting Plate (sounder model available)
DOOR ALARMS			
STI-6400	136 x 136 x 50	13	Exit Stopper - Multi-Function Door Alarm for Single Door Installation
STI-6401	136 x 136 x 50	online	Exit Stopper - with Delay - Automatic Reset feature
STI-6402	136 x 136 x 50	13	Exit Stopper - Multi-Function Door Alarm for Double Door Installation
STI-6405	136 x 136 x 50	online	Exit Stopper - Momentary Reset
STI-6406	136 x 136 x 50	online	Exit Stopper - Dual Access Control
STI-6400WIR	136 x 136 x 50	13	Wireless Exit Stopper - Multi-function Door Alarm
STI-6400WIR8	136 x 136 x 50	13	Wireless Exit Stopper with 8-Channel Receiver
STI-V6400WIR4	136 x 136 x 50	13	Wireless Exit Stopper with 4-Channel Voice Receiver
EXTINGUISHER ALARMS			
STI-6200	136 x 136 x 50	15	Extinguisher Stopper
STI-6255	84 x 84 x 25	15	Mini Theft Stopper
STI-6255-M2	84 x 84 x 25	15	Double Point Mini Theft Stopper
STI-6200WIR	136 x 136 x 50	15	Wireless Extinguisher Stopper
STI-6200WIR8	136 x 136 x 50	15	Wireless Extinguisher Stopper with 8-Channel Receiver
STI-V6200WIR4	136 x 136 x 50	15	Wireless Extinguisher Stopper with 4-Channel Voice Receiver
KEY BOXES			
STI-6720	111 x 104 x 32	online	Small Key Box - Plexi Glass
STI-4100	173 x 136 x 38	online	Large Key Box - Glass & Hammer
STI-6700	137 x 100 x 38	online	Medium Key Box - Glass & Hammer

STI offer a global solution
EN-54 and UL Listed Resettable Call Points



ReSet Call Point
Page 18-19

Global ReSet
Page 22-23

The ReSet Call Point mimics the feel of breaking glass whilst offering the benefits and environmental advantages of a resettable operating element. Suitable for areas that are at high risk of false activations or sensitive to broken glass.

One year on electro-mechanical and electronic components.

Flush Mount
87mm H x 87mm W x 23mm D


Surface Mount
87mm H x 87mm W x 58mm D

CALL POINTS & SWITCHES

ReSet Call Points

DESIGN

An indicator drops into view at the top of the window on activation. The unit is then simply reset with a key and is ready for use.



ELECTRONICS

There are 4 electrical arrangements available; Single Pole Changeover, Double Pole Changeover, Conventional Fire model (470 680Ω) or Sav-Wire 2 Wire Systems.

INSTALLATION

Easy installation due to no glass elements that could be broken or incorrectly fitted. Integral cover and other cover options available.

CONSTRUCTION

Extremely attractive, high value look and feel. Glass appearance maintains operator deterrence, whilst a visible warning flag confirms activation and a key allows units to be quickly reset.



BUILD IT YOUR WAY

Select from each step your preferred option to generate your desired product code

Build Your ReSet Call Point



RP-

Step 1 Colour

R = Red
G = Green
Y = Yellow
B = Blue
W = White
O = Orange

Step 2 Mounting

D2 = Surface (Wall Plate & Back Box)
S2 = Surface (Combined Wall Plate & Back Box)
F2 = Flush

Step 3 Electrical

01 = Conventional Fire Model (470 680Ω) *Red only
02 = Single Pole Changeover
05 = Sav-Wire 2 Wire Systems *Red only
11 = Double Pole Changeover

Step 4 Label

CL = Custom Label*

Standard Models:

- All red models will be supplied with House Flame logo, unless -CL is specified.
- All green models will be supplied with Running Man logo, unless -CL is specified.
- All other models will be supplied with Standard Function Marking unless -CL is specified.

Standard Function Marking: Contains the following labels, with black or white text, depending on colour selected:

• EMERGENCY • EMERGENCY DOOR RELEASE • EMERGENCY EXIT • EVACUATE • GAS ABORT
• GAS RELEASE • GAS SHUT OFF • INCIDENT • ISOLATION SWITCH • PANIC ALARM • POOL ALARM • SMOKE VENT

Examples:

RP-YS2-02-CL for Yellow, Surface Mount with Single Pole Changeover and Custom label
RP-BF2-11 for Blue, Flush Mount with Double Pole Changeover and Standard Function Marking labels

Protect your ReSet Call Point
with a cover - see page 7

*Custom labelling available (max. 2 lines, 10 characters per line, including spaces).

The Waterproof ReSet Call Point mimics the feel of breaking glass whilst offering the benefits and environmental advantages of a resettable operating element. The waterproof models are suitable for indoor/outdoor use and wash-down areas that are sensitive to broken glass or harsh environments.

One year on electro-mechanical and electronic components.

90mm H x 89mm W x 72mm D

CALL POINTS & SWITCHES

Waterproof ReSet Call Points

DESIGN

An indicator drops into view at the top of the window on activation. The unit is then simply reset with a key and is ready for re-use. Waterproof models are tested to IP67 certified.

INSTALLATION

Easy installation due to no glass elements that could be broken or incorrectly fitted. Waterproof models only available for surface mount applications.



(conforms up to IP67)

ELECTRONICS

There are 3 electrical arrangements available; Single Pole Changeover, Double Pole Changeover, or Conventional Fire model (470 680Ω).

CONSTRUCTION

Extremely attractive, high value look and feel: glass appearance maintains operator deterrence, whilst a visible warning flag confirms activation and key allows units to be quickly reset.



BUILD IT YOUR WAY

Select from each step your preferred option to generate your desired product code

Build Your Waterproof ReSet Call Point



WRP2-



Step 1 Colour

R = Red
G = Green
Y = Yellow
B = Blue
W = White
O = Orange

Step 2 Electrical

01 = Conventional Fire Model (470 680Ω) *Red only
02 = Single Pole Changeover
11 = Double Pole Changeover

Step 3 Label

CL = Custom Label*

- Standard Models:**
- All red models will be supplied with House Flame logo, unless -CL is specified.
 - All green models will be supplied with Running Man logo, unless -CL is specified.
 - All other models will be supplied with Standard Function Marking unless -CL is specified.

Standard Function Marking: Contains the following labels, with black or white text, depending on colour selected:

- EMERGENCY • EMERGENCY DOOR RELEASE • EMERGENCY EXIT • EVACUATE • GAS ABORT
- GAS RELEASE • GAS SHUT OFF • INCIDENT • ISOLATION SWITCH • PANIC ALARM • POOL ALARM • SMOKE VENT

Examples:

WRP2-R-01 for Red, Conventional Fire Model with House Flame logo

WRP2-B-11 for Blue, Double Pole Changeover with Standard Function Marking labels

Protect your Waterproof ReSet Call Point with a cover - see page 7

*Custom labelling available (max. 2 lines, 10 characters per line, including spaces).

CALL POINTS & SWITCHES

Global ReSet



Resettable call point simulates break glass activation with no broken glass. Versatile mounting plate fits to U.S., European, double-gang and single-gang mounting box, making it quick and easy to install. When activated, indicator drops into view. Simple reset with provided key for immediate re-use. Available in five colours.

One year on electro-mechanical and electronic components.

Dimensions with Cover
Surface = 152mm H x 112mm W x 77mm D
Flush = 152mm H x 112mm W x 37mm D

Dimensions without COVER
Surface = 142mm H x 105mm W x 73mm D
Flush = 142mm H x 105mm W x 33mm D

DESIGN

An indicator drops into view at the top of the window on activation. The unit is then simply reset with a key and is ready for re-use. Unique design, quality and value.

INSTALLATION

Easy installation due to no glass elements that could be broken or incorrectly fitted. Versatile mounting plate fits to US and European double-gang and single-gang mounting box. Surface back box available.



ELECTRONICS

There are 2 electrical arrangements available; Single Pole Changeover (Conventional Fire Model with resistors) or Double Pole Changeover.

CONSTRUCTION

Extremely attractive, high value look and feel: glass appearance maintains operator deterrence, whilst a visible warning flag confirms activation and key allows units to be quickly reset.

BUILD IT YOUR WAY

Select from each step your preferred option to generate your desired product code

Build Your Global ReSet (Non UL models)



GLR-

Step 1
Colour

0 = Red
1 = Green
2 = Yellow
3 = White
4 = Blue

Step 2
Cover

A1 = Shield with Sounder
21 = Shield
01 = No Cover

Step 3
Text

AB = ABORT
EM = EMERGENCY
EX = EMERGENCY EXIT
PO = EMERGENCY POWER OFF
ES = EMERGENCY STOP
EV = EVACUATION
XT = EXIT

PS = FUEL PUMP SHUT-DOWN
HV = HVAC SHUT-DOWN
LD = LOCKDOWN
PX = PUSH TO EXIT
NT = NO TEXT
ZA = CUSTOM LABEL
RM = RUNNING MAN LOGO

Step 4
Language

EN = English
ES = Spanish
FR = French
ZL = Other Language

Protect your Global Resets
with a cover - see page 7

*Custom labelling available (max. 1 line, 13 character, including spaces).

UL Listed Global ReSets (Fire Models)

GR-RF-01-0 Flush Mount, Series 01
GR-RF-01 Flush Mount, Series 01 with Shield
GR-RF-02-0 Flush Mount, Series 02
GR-RF-02 Flush Mount, Series 02 with Shield

GR-RS-01-0 Surface Mount, Series 01
GR-RS-01 Surface Mount, Series 01 with Shield
GR-RS-02-0 Surface Mount, Series 02
GR-RS-02 Surface Mount, Series 02 with Shield



For specs & details go to sti-emea.com | 23

The StopperSwitches are a highly versatile range of attractive indoor Push Buttons combining unique design, quality and value. They are aesthetically appealing, low/high voltage switches which fit any standard UK-type switch socket box.

One year on electromechanical and electronic components.

87mm H x 87mm W x 58mm D

CALL POINTS & SWITCHES

Indoor Push Buttons



DESIGN

Inset design on the push button helps prevent accidental activations. Standard Function Marking label sheets provided if Custom Label is not specified.

CONSTRUCTION

Moulded in tough UV-stabilised polycarbonate. Space available for function marking or operating instructions.

INSTALLATION

Quick and easy installation. All models supplied as Dual Mount (35mm black back box and flush mounting plate) to allow the user the choice of flush or surface installation.

ELECTRONICS

Low profile, heavy-duty terminations. Wide range of operating voltages up to 250 volts. Key-to-Reset, Momentary and Pneumatic models available.

Standard Models

All supplied with Standard Function Marking Labels

Access Control Buttons

- SS3-7G14 - White Housing, Green Button, Momentary, Multi-Function Signal (DPC & SPC)
- SS3-3W14 - Green Housing, White Button, Momentary, Multi-Function Signal (DPC & SPC)

Pneumatic Access Control Buttons

- SS3-7G60 - White Housing, Green Button, Pneumatic, Single Pole Changeover
- SS3-3W60 - Green Housing, White Button, Pneumatic, Single Pole Changeover

Emergency Power Off Buttons

- SS3-5R04 - Yellow Housing, Red Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)
- SS3-5Y04 - Yellow Housing, Yellow Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

Emergency/Evacuate Buttons

- SS3-7B04 - White Housing, Blue Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)
- SS3-9W04 - Blue Housing, White Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

Panic/Isolate Buttons

- SS3-1W04 - Red Housing, White Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)
- SS3-7R04 - White Housing, Red Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)


Smoke Vent Buttons

- SS3-EW04 - Orange Housing, White Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)
- SS3-EE04 - Orange Housing, Orange Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

BUILD IT YOUR WAY

Select from each step your preferred option to generate your desired product code

Build Your Indoor Push Button



SS3-

Step 1
Housing Colour

- 1 = Red - Dual Mount
- 3 = Green - Dual Mount
- 5 = Yellow - Dual Mount
- 7 = White - Dual Mount
- 9 = Blue - Dual Mount
- E = Orange - Dual Mount

Step 2
Button Colour

- R = Red
- G = Green
- Y = Yellow
- W = White
- B = Blue
- E = Orange

Step 3
Button Type

- 0 = Latching (Key-to-Reset)
- 1 = Momentary
- 6 = Pneumatic*

Step 4
Electrical

- 0 = Single Pole Changeover (Pneumatic only)
- 4 = Multi-Function Signal - DPC & SPC (Key-to-Reset & Momentary only)

Step 5
Label

CL = Custom Label**

All models will be supplied with Standard Function Marking unless -CL is specified.

PLEASE NOTE: Colour combination conditionals. Options are: • Red Button = Red, Yellow or White Housing • Green Button = Green or White Housing • Yellow Button = Yellow Housing • White Button = White, Red, Green, Blue or Orange Housing • Blue Button = Blue or White Housing • Orange Button = Orange Housing

Standard Function Marking: Contains the following labels, with black or white text, depending on colour selected: • EMERGENCY • EMERGENCY POWER OFF • EMERGENCY STOP • EVACUATE • EXIT • GAS SHUT OFF • ISOLATE • PANIC ALARM • POOL ALARM • PRESS TO EXIT • SHUT DOWN • SMOKE VENT

Examples:
SS3-3G04 for Green Housing, Green Latching Button with Multi-Function Signal and Standard Function Marking labels
SS3-5Y60-CL for Yellow Housing, Yellow Pneumatic Button with Single Pole Changeover and Custom label

Protect your Push Button with a cover - see page 7

**Custom labelling available (max. 1 line, 20 characters, including spaces).



CALL POINTS & SWITCHES

Waterproof Push Buttons



The StopperSwitches are a highly versatile range of attractive waterproof Push Buttons combining unique design, quality and value. The waterproof models are specially designed for use within harsh environments; the push buttons are ideal for indoor/outdoor applications such as oil rigs, ships, factories and wash-down areas.

One year on electromechanical and electronic components.

90mm H x 89mm W x 72mm D

DESIGN

Inset design on the push button helps prevent accidental activations. Standard Function Marking label sheets provided if Custom Label is not specified.

CONSTRUCTION

Moulded in tough UV-stabilised polycarbonate. Space available for function marking or operating instructions.

INSTALLATION

Quick and easy installation. All waterproof models are for surface mount applications.

ELECTRONICS

Low profile, heavy-duty terminations. Wide range of operating voltages up to 250 volts. Key-to-Reset and Momentary models available.

Standard Models

All supplied with Standard Function Marking Labels

Access Control Buttons

WSS3-7G14

White Housing, Green Button, Momentary, Multi-Function Signal (DPC & SPC)

WSS3-3W14

Green Housing, White Button, Momentary, Multi-Function Signal (DPC & SPC)

Emergency Power Off Buttons

WSS3-5R04

Yellow Housing, Red Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

WSS3-5Y04

Yellow Housing, Yellow Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

Emergency/Evacuate Buttons

WSS3-7B04

White Housing, Blue Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

WSS3-9W04

Blue Housing, White Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

Panic/Isolate Buttons

WSS3-1W04

Red Housing, White Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

WSS3-7R04

White Housing, Red Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

BUILD IT YOUR WAY

Select from each step your preferred option to generate your desired product code

Build Your Waterproof Push Button



WSS3-

Step 1 Housing Colour

- 1 = Red - Surface Mount
- 3 = Green - Surface Mount
- 5 = Yellow - Surface Mount
- 7 = White - Surface Mount
- 9 = Blue - Surface Mount
- E = Orange - Surface Mount

Step 2 Button Colour

- R = Red
- G = Green
- Y = Yellow
- W = White
- B = Blue
- E = Orange

Step 3 Button Type

- 0 = Latching (Key-to-Reset)
- 1 = Momentary

Step 4 Electrical

- 4 = Multi-Function Signal (DPC & SPC)

Step 5 Label

- CL = Custom Label*

All models will be supplied with Standard Function Marking unless -CL is specified.

PLEASE NOTE: Colour combination conditionals. Options are: • Red Button = Red, Yellow or White Housing • Green Button = Green or White Housing • Yellow Button = Yellow Housing • White Button = White, Red, Green, Blue or Orange Housing • Blue Button = Blue or White Housing • Orange Button = Orange Housing

Standard Function Marking: Contains the following labels, with black or white text, depending on colour selected: • EMERGENCY • EMERGENCY POWER OFF • EMERGENCY STOP • EVACUATE • EXIT • GAS SHUT OFF • ISOLATE • PANIC ALARM • POOL ALARM • PRESS TO EXIT • SHUT DOWN • SMOKE VENT

Protect your Waterproof Push Button with a cover - see page 7

*Custom labelling available (max. 1 line, 20 characters, including spaces).

Examples:
WSS3-3G04 for Green Housing, Green Latching Button with Standard Function Marking labels
WSS3-9W14-CL for Blue Housing, White Momentary Button with Custom label

The StopperSwitches are a highly versatile range of attractive Key Switches combining unique design, quality and value. These aesthetically appealing, low/high voltage switches fit any standard UK-type switch socket box and are quick and easy to install. They are ideal for units where casual activation is discouraged, and activation is only possible with the key provided.

One year on electromechanical and electronic components.

87mm H x 87mm W x 58mm D

CALL POINTS & SWITCHES

Key Switches



DESIGN

Recessed key barrel prevents risk of damage to the Key Switch. Standard Function Marking label sheets provided if Custom Label is not specified.

CONSTRUCTION

Moulded in tough UV-stabilised polycarbonate. Space available for function marking or operating instructions.

INSTALLATION

Quick and easy installation. All models are supplied as Dual Mount (35mm black back box) to allow the user the choice of flush or surface installation.

ELECTRONICS

Contact rating (switching resistive load) 5A 115 V AC, 3A 50 V DC

Standard Models

All supplied with Standard Function Marking Labels

Access Control Key Switches

SS3-3041

Green Housing, 2 Position Key Switch, Double Pole - Normally Open

SS3-3042

Green Housing, 2 Position Key Switch, Double Pole - Normally Closed

General Application Key Switches

SS3-1020

Red Housing, 2 Position Key Switch, Single Pole Changeover

SS3-7020

White Housing, 2 Position Key Switch, Single Pole Changeover

SS3-5020

Yellow Housing, 2 Position Key Switch, Single Pole Changeover

BUILD IT YOUR WAY

Select from each step your preferred option to generate your desired product code

Build Your Key Switch



SS3-

Step 1
Colour

- 10 = Red - Dual Mount
- 30 = Green - Dual Mount
- 50 = Yellow - Dual Mount
- 70 = White - Dual Mount
- 90 = Blue - Dual Mount

Step 2
Switch Type

- 2 = 2 Position Key Switch Single Pole
- 3 = 2 Position Key Switch - Key Trapped in 'on' position
- 4 = 2 Position Key Switch Double Pole
- 5 = 3 Position Key Switch

Step 3
Electrical

- 0 = Single Pole Changeover
- 1 = Double Pole Normally Open
- 2 = Double Pole Normally Closed
- 3 = 3 Position Key Switch Arrangement

Step 4
Label

CL = Custom Label*

All models will be supplied with Standard Function Marking unless -CL is specified.

PLEASE NOTE: Electrical Arrangement Conditionals. Options are: • Single Pole Changeover = 2 Position Key Switch & Key Trapped in 'on' position • Double Pole Normally Open = 2 Position Key Switch & Key Trapped in 'on' position • Double Pole Normally Closed = 2 Position Key Switch & Key Trapped in 'on' position • 3 Position Key Switch Arrangement = 3 Position Key Switch

Standard Function Marking: Contains the following labels, with black or white text, depending on colour selected:

- EMERGENCY • EMERGENCY POWER OFF • EMERGENCY STOP • EVACUATE • EXIT • GAS SHUT OFF
- ISOLATE • PANIC ALARM • POOL ALARM • PRESS TO EXIT • SHUT DOWN • SMOKE VENT

Example:
SS3-1020 for Red, 2 Position Key Switch with Single Pole Changeover and Standard Function Marking labels

Protect your Key Switch with a cover - see page 7

*Custom labelling available (max. 1 line, 20 characters, including spaces).

ADA Compliant multipurpose buttons and switches accommodate a wide range of applications. A number of standard models are available or STI can create custom units to meet specific needs.

Three years guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

124mm H x 82mm W x 41mm D

CALL POINTS & SWITCHES

Stopper® Stations



DESIGN

Incorporates a unique, patented design that helps dramatically stop accidental activation. Protective covers available.



ELECTRONICS

Multiple button functions available:
Key-to-Reset, Momentary, Turn-to-Reset, Pneumatic or Key-to-Activate.
Three 12-24 volt LED colour indicators.

INSTALLATION

5VA flammability rating on backplate and spacer. Polycarbonate complies with FDA regulations for food contact applications. Dual mount option for flush or surface installation. US and European friendly. Separate back box required for surface mount installation. See page 64 for accessories.

CONSTRUCTION

Station housing moulded of tough polycarbonate. Stainless steel backplate.

BUILD IT YOUR WAY

Select from each step your preferred option to generate your desired product code

Build Your Stopper® Stations



SS2

Step 1 Colour

00 = Red
10 = Green
20 = Yellow
30 = White
40 = Blue

Step 2 Activation

2 = Key-to-Reset (Illuminated)
5 = Momentary (Illuminated)
9 = Turn-to-Reset (Illuminated)
8 = Pneumatic (Illuminated)
0 = Key-to-Reset
1 = Turn-to-Activate
3 = Key-to-Activate
4 = Momentary

Step 3 Text

AB = ABORT
EM = EMERGENCY
EX = EMERGENCY EXIT
PO = EMERGENCY POWER OFF
ES = EMERGENCY STOP
EV = EVACUATION
XT = EXIT
PS = FUEL PUMP SHUT-DOWN
HV = HVAC SHUT-DOWN
LD = LOCKDOWN
PX = PUSH TO EXIT
NT = NO TEXT
ZA = CUSTOM TEXT*

Step 4 Language

EN = English
ES = Spanish
FR = French
ZL = Other language

Comes standard as flush mount. A separate back box is required for surface mount installations. See accessories on page 64

Protect your Stopper Station with a cover - see page 7

*Custom labelling available (max. 1 line, 13 characters, or 2 lines, 20 characters, including spaces).

The Alert Point is an aesthetically pleasing, robust and fully featured stand-alone, self-contained alarm system. It is available in a variety of colours and can be used for a wide variety of application such as Fire, Intruder and Panic. It provides an effective means of raising an alarm in the event of an emergency.

Ideal for use in industrial, commercial and retail applications as well as portacabins, constructions sites and holiday parks.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

170mm H x 125mm W x 58mm D

CALL POINTS & SWITCHES

Alert Point

DESIGN

Stand-alone alarm system is fitted with an integral resettable call point. An indicator drops into view at the top of the window on activation. The unit is then simply reset with a key and is ready for re-use.

INSTALLATION

Easy installation due to no glass elements that could be broken. No wiring involved and a simple 4 screw fixing making installation quick and easy.



ELECTRONICS

Once activated a 102 dB alarm (at 1 metre) will alert, an activation flag drops in to view and the built in LED facility flashes red. Any external connected devices will be activated.

CONSTRUCTION

Made from tough UV-stabilised polycarbonate which can withstand the severest of knocks.

BUILD IT YOUR WAY

Select from each step your preferred option to generate your desired product code

Build Your Alert Point



AP-



Step 1 Series

- 1 = Alert Point
- 2 = Alert Point: *Lite*
- 3 = Alert Point with Beacon
- 4 = Alert Point: *Lite* with Beacon

Step 2 Colour

- R = Red
- B = Blue
- G = Green
- W = White

Step 3 Label

- A = House Flame Logo
- B = Fire
- C = Intruder
- D = Panic
- E = Evacuation
- F = Assist
- G = General Alarm
- H = Alert
- I = Emergency Exit
- R = Running Man Logo
- X = Custom Label*

*Custom labelling available (max. 2 lines, 10 characters per line, including spaces).

For further information on
Protective Covers
refer to page 7

Covers for Call Points & Switches



Various sizes, colours & styles for all applications



Why you need a cover...

It is advisable to protect Call Points & Switches with an STI Protective Cover. The covers add an extra measure of protection against vandalism, damage or accidental activations.

How they help reduce unwanted activations...

A cover with optional integral sounder can be highly beneficial; when the cover is lifted, the device will emit a piercing alarm and the culprit will either run or be caught. Environmental covers will protect in weather exposed areas or harsh environmental conditions.

COVERS & CAGES

Look familiar? We've got it covered!

- Steel cages designed to protect a wide variety of devices from vandalism and misuse.
- Constructed from plastic coated, heavy-duty galvanised steel rod.
- Simple 4 fixing point installation can retrofit over existing devices.
- Designed so there is no interference with the operation of the protected device.
- Cages are backed by a three year guarantee against breakage in normal use.



This range of multipurpose, transparent polycarbonate enclosures and metal cabinets are designed for the protection of fire and security control panels and other electronic equipment. Combining a tough, rugged construction with stylish design, the series offers excellent protection for a wide range of equipment.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 58 for dimensions.

COVERS & CAGES

Environmental Covers & Enclosures (Waterproof/Weatherproof)

DESIGN

Robust enclosures protect control panels located in areas where the environmental conditions are extreme and/or the threat of vandalism or misuse is high.

INSTALLATION

External mounting tabs allow the enclosure to be easily installed on to any wall surface, providing protection without the need to change the location of the equipment. Mounting accessories and tamper-proof screws are provided.



ELECTRONICS

Available with or without a 95 dB alarm, powered by a 9V PP3 battery, to deter unauthorised access to devices.

CONSTRUCTION

Tough UV-stabilised polycarbonate housing can withstand the severest of knocks preventing any vandalism or accidental damage.



2



4



3



5



6

A variety of back box and spacer options for 7510/7511 are available, visit www.sti-emea.com

Multipurpose UV-stabilised polycarbonate and heavy-duty metal cabinets and enclosures designed to protect fire and security control panels and electrical equipment from damage, vandalism and the environment. Enclosures can mount on the wall enabling units to be protected in their designated location.

1. STI-7550

STI-7550 - Key Lock
STI-7551 - Thumb Lock
629mm x 502mm x 186mm

2. STI-7530

STI-7530 - Backplate/Key Lock
STI-7531 - Backplate/Thumb Lock
361mm x 310mm x 164mm

3. STI-7510E

STI-7510E - Open Spacer/Flush/Key Lock
STI-7511E - Open Spacer/Flush/Thumb Lock
STI-7510A-OW - Enclosed Deep White Back Box/Key Lock
145mm x 196mm x 56mm

4. STI-EM111103 (Add '-KL' for Key Lock facility)

STI-EM111103
279mm x 279mm x 76mm
STI-EM111504
381mm x 279mm x 100mm
STI-EM151804
457mm x 381mm x 100mm

5. STI-7520

STI-7520 - Key Lock
STI-7521 - Thumb Lock
STI-7520-OW - Key Lock/White
225mm x 276mm x 92mm

6. STI-7560

STI-7560 - with Window
STI-7561 - without Window
838mm x 533mm x 152mm

For specs & details go to sti-emea.com | 37

These multipurpose, transparent polycarbonate cabinets and enclosures are designed to protect fire and security control panels, electrical units, AED cabinets and various other larger devices. They offer excellent protection from vandalism, accidental damage and the environment whilst ensuring all-round visibility and access.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 58 for dimensions.

COVERS & CAGES

Polycarbonate Enclosures with Alarms

DESIGN

Robust protective enclosures protect AED's and other equipment located in public areas where there is a history of misuse of equipment.

INSTALLATION

External mounting tabs allow the enclosures to be easily installed on to any wall surface, providing protection without the need to change the location of the equipment. Mounting accessories and tamper-proof screws are provided.



1

ELECTRONICS

For additional security and to deter misuse and theft the enclosures are fitted with a security alarm or sounder/strobe device. Security alarm available with 100 dB flashing beacon.

CONSTRUCTION

Tough UV-stabilised polycarbonate housing can withstand the severest of knocks preventing any vandalism or accidental damage.



2



5



3



6



4



7

Multipurpose transparent polycarbonate enclosures and cabinets designed to protect fire and security panels and other essential equipment such as AED's, from vandalism, accidental damage and the environment whilst ensuring all-round visibility.

1. STI-7535AED

AED Models with Thumb Lock
STI-7535AED - Strobe/Siren Alarm
STI-7533AED - Siren Alarm
STI-7531AED

2. STI-7523

Models with Siren Alarm
STI-7523 - Thumb Lock
STI-7522 - Key Lock

3. STI-7533

Models with Siren Alarm
STI-7533 - Thumb Lock
STI-7532 - Key Lock

4. STI-7553

Models with Siren Alarm
STI-7553 - Thumb Lock
STI-7552 - Key Lock

5. STI-7525

Models with Strobe/Siren Alarm
STI-7525 - Thumb Lock
STI-7524 - Key Lock

6. STI-7535

Models with Strobe/Siren Alarm
STI-7535 - Thumb Lock
STI-7534 - Key Lock

7. STI-7555AED

AED Models with Thumb Lock
STI-7555AED - Strobe/Siren Alarm
STI-7553AED - Siren Alarm

These multipurpose polycarbonate enclosures and metal cabinets are available with heater and/or air conditioner facility, and are designed to protect larger sized sensitive equipment, like alarm control panels, from extreme temperatures, vandalism or accidental damage, whilst retaining the desired operating temperatures.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 58 for dimensions.

COVERS & CAGES

Environmental Enclosures with Heater & Aircon

DESIGN

The Air Conditioner unit is externally mounted to minimise space intrusion in the cabinet.

INSTALLATION

Enclosures mount to the wall enabling the unit to be protected in its designated location. Control panel mounting backplate is included.



1

ELECTRONICS

Heater unit has a low ambient operation package to help prevent it from freezing, and the aircon unit fan runs continuously to sustain a uniform temperature inside the enclosure.

CONSTRUCTION

Metal cabinets have a durable finish to help protect against corrosion. Enclosures are constructed from tough, UV-stabilised polycarbonate. All models protect against vandalism or accidental damage, as well as dirt, dust and grime.



Shallow enclosed back box for 7510/7511HTR available, visit www.sti-emea.com

2



4 & 5



3



6

These polycarbonate enclosures and metal cabinets with built-in heater and air conditioner facility (models also available with air conditioner only) are designed to house larger sized sensitive equipment against vandalism, damage, dirt and grime. By maintaining a temperature above freezing, devices are able to be installed outdoors or in below freezing environments and still remain operable.

1. Metal Protective Cabinet

Models with Aircon
STI-7560AC - with Window
STI-7561AC - without Window

4. Polycarbonate Protective Cabinet

Models with Aircon
STI-7550AC - Key Lock
STI-7551AC - Thumb Lock

2. Heated Polycarbonate Enclosure

Models with Heater
STI-7510A-HTR - Key Lock
STI-7511A-HTR - Thumb Lock

5. Polycarbonate Protective Cabinet

Models with Aircon & Heater
STI-7550AH - Key Lock
STI-7551AH - Thumb Lock

3. Heated Type 4X Polycarbonate Enclosure

Models with Heater
STI-7520-HTR - Key Lock
STI-7521-HTR - Thumb Lock

6. Metal Protective Cabinet

Models with Aircon & Heater
STI-7560AH - with Window
STI-7561AH - without Window

These tough covers have been designed to protect card readers, access control keypads and similar devices from abuse and accidental damage as well as from the external elements. All covers are moulded from tough polycarbonate material that is UV-stabilised against discolouration.

Three year guarantee against breakage of polycarbonate in normal use.

Refer to Page 58 for dimensions.

COVERS & CAGES

Biometric & Keypad Covers

DESIGN

Covers designed to protect access and keypad control panels from vandalism and accidental damage as well as the elements.

INSTALLATION

Quick and easy to install. Covers can be retrofitted over an existing device allowing it to maintain its current location.



OPTIONS

Certain models are available in a smoke finish for further security. Gasket replacement is recommended at least every five years.

CONSTRUCTION

Covers are moulded from tough, UV-stabilised polycarbonate. Models fitted with stainless steel torsion spring allows the cover to maintain in a closed position.



2



3



4



5



6

These tough covers have been designed to protect card readers, access control keypads and similar devices from abuse and accidental damage as well as the elements. All covers are moulded from tough polycarbonate material that is UV-stabilised against discolouration.

1. Bio Protector

BIO-7504 - Clear

BIO-7505 - Smoke

2. Identification Reader Cover

STI-6520-C - Clear/Enclosed

STI-6520-S - Smoke/Enclosed

STI-6521-C - Clear/Open

STI-6521-S - Smoke/Open

3. Bio Protector

STI-6514 - Clear

STI-6514-S - Smoke

4. Mini Bopper Stopper®

STI-6516 - Clear

5. Bopper Stopper®

STI-6518 - Clear/Spring Loaded Hinge

6. Polycarbonate Cover

STI-7700 - Open Spacer

STI-7710 - Open Spacer/Lock

STI-7720 - Enclosed Back Box

STI-7730 - Enclosed Back Box/Lock

STI-7730-OW - Enclosed Back Box/Lock/White

The Thermostat Protectors are recommended for areas where abuse or tampering of thermostats is a problem. Holes in the frame allow air to circulate freely for proper operation of the thermostat but an interior wall prevents any tampering to the controls with a small object.

Three year guarantee against breakage of polycarbonate in normal use.

Refer to Page 58 for dimensions.

COVERS & CAGES

Thermostat Protectors

DESIGN

These tough, locking covers help prevent vandalism, damage and tampering of thermostats or energy sensors. Tamper resistance double wall design allows airflow to the protected device.

INSTALLATION

Quick and easy to install. Covers can be retrofitted over an existing device allowing it to maintain its current location.

OPTIONS

Models are available with locks, ideal where thermostats are located in public areas.

CONSTRUCTION

Cover are moulded from tough, UV-stabilised polycarbonate.



1



2



3



4

Tough, clear covers designed to protect thermostats. Recommended for use in areas where abuse or tampering is a problem. These units have the option of a key lock facility to prevent unauthorised tampering; especially useful when the units are located in public areas.

1. Medium Thermostat Protector

Flush Models with Key Lock
STI-9105 - Clear

2. Small Thermostat Protector

Flush Model with Frangible Lock
STI-9102 - Clear

3. Large Thermostat Protector

Flush Model with Key Lock
STI-9110 - Clear

4. Circular Thermostat Protector

Flush Model without Lock
STI-9115 - Clear

These heavy-duty steel cages are designed to protect smoke and fire detectors from vandalism and misuse, whilst remaining fully accessible and operational.

Cages are backed by a three year guarantee against breakage in normal use.

COVERS & CAGES


Smoke & Heat Detector Cages

DESIGN

These steel cages are designed to protect smoke and heat detectors from vandalism and misuse. Designed so there is no interference with the operation of the protected unit.

INSTALLATION

Quick and easy to install. Cages can be retrofitted over an existing device allowing it to maintain its current location.



1


OPTIONS

Where additional security is required from theft or misuse, tamper resistant screws and matching bits are available. Stainless steel versions available.

CONSTRUCTION

Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

Can't find what you are looking for? Try the Advanced Search Facility on our website; input your dimensions to find the closest match for your requirements



Designed to protect smoke and heat detectors from vandalism and misuse. Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

1. STI-9604

STI-9604 - Flush

STI-9604-SS - Flush/Stainless Steel
175mm x 175mm x 75mm

2. STI-9605

STI-9605 - Surface

STI-9605-SS - Surface/Stainless Steel
180mm x 180mm x 115mm

3. STI-9713

STI-9713 - Flush

174mm x 174mm x 63mm
STI-9712 - Surface
174mm x 174mm x 115mm

4. STI-9609

STI-9609 - Flush

STI-9609-SS - Flush/Stainless Steel
210mm x 210mm x 117mm

5. STI-9601

STI-9601 - Flush

STI-9601-SS - Flush/Stainless Steel
210mm x 210mm x 70mm

6. STI-9602

STI-9602 - Surface

210mm x 210mm x 108mm

7. STI-9610

STI-9610 - Surface

210mm x 210mm x 152mm

8. Polycarbonate Detector Stopper®

STI-8100 - Flush/Clear
210mm x 210mm x 95mm
STI-8130 - Surface/Clear
210mm x 210mm x 146mm

9. Smoke Detector Damage Stopper®

STI-8200-SS - Flush/Stainless Steel
203mm x 203mm x 76mm
STI-8230-SS - Surface/Stainless Steel
203mm x 203mm x 127mm

These super tough steel cages are extremely effective in reducing malfunctions and high maintenance costs where vandalism, misuse or accidental damage is prevalent against PIR and motion detectors.

Cages are backed by a three year guarantee against breakage in normal use.

COVERS & CAGES

PIR & Motion Detector Cages

DESIGN

These steel cages are designed to protect PIR and motion detectors from vandalism and misuse.

INSTALLATION


Quick and easy to install. Cages can be retrofitted over an existing device allowing it to maintain its current location.

OPTIONS

Where additional security is required from theft or misuse, tamper resistant screws and matching bits are available.

CONSTRUCTION

Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.



1



2



3



4



5

Can't find what you are looking for? Try the Advanced Search Facility on our website; input your dimensions to find the closest match for your requirements

Designed to protect security PIR's & motion detectors from vandalism and misuse. Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

1. STI-9620

156mm x 102mm x 57mm

2. STI-9618

117mm x 136mm x 75mm

3. STI-9619

196mm x 136mm x 142mm

4. STI-9621

178mm x 146mm x 114mm

5. STI-9622

222mm x 102mm x 95mm

Smoke Beam Cages are highly effective in protecting costly sensor units of beam type smoke detectors, from damage leading to misalignment and false alarms. They are designed to protect both transmitter and receiver sensors.

Cages are backed by a three year guarantee against breakage in normal use.

Refer to Page 58 for dimensions.

COVERS & CAGES

Smoke Beam Cages

DESIGN

These steel cages are designed to protect smoke beam detectors and controllers from vandalism and misuse.

OPTIONS

Where additional security is required from theft or misuse, tamper resistant screws and matching bits are available.

INSTALLATION

Quick and easy to install. Cages can be retrofitted over an existing device allowing it to maintain its current location.



1

CONSTRUCTION

Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

Can't find what you are looking for? Try the Advanced Search Facility on our website; input your dimensions to find the closest match for your requirements




2



3



4



5

Designed to protect costly sensor units of beam type smoke detectors from damage leading to misalignment and false alarms. Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

1. STI-9624

225mm x 140mm x 120mm

2. STI-9623

197mm x 152mm x 152mm

3. STI-9840

168mm x 168mm x 146mm

STI-9841

293mm x 256mm x 91mm

4. STI-9861

186mm x 160mm x 143mm

STI-9862

187mm x 122mm x 70mm

5. STI-9845

167mm x 234mm x 104mm

These heavy-duty steel cages are an excellent way to protect clocks, bells, beacons and sounders against vandalism, misuse and accidental damage, whilst remaining fully accessible and operational.

Cages are backed by a three year guarantee against breakage in normal use.

Refer to Page 58 for dimensions.

COVERS & CAGES


Clocks, Bells, Beacons & Sounder Cages

DESIGN

These steel cages are designed to protect beacons & sounders from vandalism and misuse.

INSTALLATION

Quick and easy to install. Cages can be retrofitted over an existing device allowing it to maintain its current location.




OPTIONS

Where additional security is required from theft or misuse, tamper resistant screws and matching bits are available.

CONSTRUCTION

Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

Can't find what you are looking for? Try the Advanced Search Facility on our website; input your dimensions to find the closest match for your requirements




2



3



4



5

Designed to protect beacons, sounders and other devices from vandalism and misuse. Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

1. STI-9617 150mm x 150mm x 125mm	2. STI-9614 200mm x 200mm x 150mm	3. STI-9615 95mm x 95mm x 90mm	4. STI-9664 <i>STI-9664</i> <i>STI-9664-SS - Stainless Steel</i> 98mm x 98mm x 173mm <i>STI-9665</i> 178mm x 178mm x 214mm	5. STI-9631 <i>STI-9631</i> 270mm x 270mm x 152mm <i>STI-9632</i> 420mm x 420mm x 152mm <i>STI-9633</i> 508mm x 508mm x 152mm
---	---	--	--	--

These protective steel cages for external/internal lighting and CCTV cameras offer protection against vandalism, misuse or accidental damage. These cages will help reduce replacement of light bulbs or expensive cameras.

Cages are backed by a three year guarantee against breakage in normal use.

Refer to Page 58 for dimensions.

COVERS & CAGES

External/Internal Lighting & CCTV Cages

DESIGN

These steel cages are designed to protect CCTV cameras and external lighting from vandalism and misuse.

INSTALLATION

Quick and easy to install. Cages can be retrofitted over an existing device allowing it to maintain its current location.




OPTIONS

Where additional security is required from theft or misuse, tamper resistant screws and matching bits are available.

CONSTRUCTION

Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.


Can't find what you are looking for? Try the Advanced Search Facility on our website; input your dimensions to find the closest match for your requirements




2



3



5



4

Designed to protect a variety of equipment including external lighting and CCTV cameras from vandalism and misuse. Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

1. STI-9625

200mm x 260mm x 321mm

2. STI-9627

400mm x 400mm x 400mm

3. STI-9729

178mm x 178mm x 178mm

4. STI-9730

315mm x 315mm x 309mm

5. STI-9880

STI-9880 - adjusts to fit 4-5ft
110mm x 1295mm x 152mm
STI-9881 - adjusts to fit 6-8ft
110mm x 1898mm x 152mm

These heavy-duty cages are an excellent way to protect emergency lights against vandalism and accidental damage, prolonging the life and reliability of critically important lighting.

Cages are backed by a three year guarantee against breakage in normal use.

Refer to Page 58 for dimensions.

COVERS & CAGES


Emergency Light Cages

DESIGN

These steel cages are designed to protect emergency lights from vandalism and misuse.

INSTALLATION

Quick and easy to install. Cages can be retrofitted over an existing device allowing it to maintain its current location.



1

OPTIONS

Where additional security is required from theft or misuse, tamper resistant screws and matching bits are available.

CONSTRUCTION

Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.


Can't find what you are looking for? Try the Advanced Search Facility on our website; input your dimensions to find the closest match for your requirements




2



3



4



5



6

Designed to protect a variety of equipment including emergency lights from vandalism and misuse. Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

1. STI-9644

220mm x 450mm x 128mm

2. STI-9640

267mm x 349mm x 70mm

3. STI-9641

273mm x 372mm x 100mm

4. STI-9645

350mm x 550mm x 150mm

5. STI-9648

160mm x 460mm x 150mm

6. STI-9703

127mm x 343mm x 102mm

For specs & details go to sti-emea.com | 57

Quick Referral Guide

NB: Cage sizes featured in this catalogue may vary from -5mm to +5mm

Product	Dimensions (mm)	Page	Product	Dimensions (mm)	Page	Product	Dimensions (mm)	Page
ENVIRONMENTAL COVERS & ENCLOSURES			STI-6521-C	155 x 84 x 68	43	SMOKE DETECTOR DAMAGE STOPPER		
STI-7510E	145 x 196 x 56	37	STI-7700	121 x 210 x 50	43	STI-8100	210 x 210 x 95	47
STI-7520	225 x 276 x 92	37	THERMOSTAT PROTECTORS			STI-8200-SS	203 x 203 x 76	47
STI-7530	361 x 310 x 164	37	STI-9102	100 x 100 x 35	45	CLOCK, BELLS, BEACONS & SOUNDER CAGES		
STI-7550	629 x 502 x 186	37	STI-9105	127 x 140 x 76	45	STI-9614	200 x 200 x 150	53
METAL PROTECTIVE CABINETS			STI-9110	135 x 215 x 92	45	STI-9615	95 x 95 x 90	53
STI-EM111103	279 x 279 x 76	37	STI-9115	184 x 184 x 73	45	STI-9617	150 x 150 x 125	53
STI-7560	838 x 533 x 152	37	SMOKE & HEAT DETECTOR CAGES			STI-9631	270 x 270 x 152	53
POLYCARBONATE ENCLOSURES WITH ALARMS			STI-9601	210 x 210 x 70	47	STI-9632	420 x 420 x 152	53
STI-7523	225 x 276 x 92	39	STI-9602	210 x 210 x 108	47	STI-9633	508 x 508 x 152	53
STI-7525	276 x 225 x 92	39	STI-9604	175 x 175 x 75	47	STI-9664	98 x 98 x 173	53
STI-7533	361 x 310 x 164	39	STI-9605	180 x 180 x 115	47	STI-9665	178 x 178 x 214	53
STI-7535	361 x 310 x 164	39	STI-9609	210 x 210 x 117	47	EXTERNAL/INTERNAL LIGHTING & CCTV CAGES		
AED PROTECTIVE CABINETS			STI-9610	210 x 210 x 152	47	STI-9625	200 x 260 x 321	55
STI-7535AED	361 x 310 x 164	39	STI-9713	174 x 174 x 63	47	STI-9627	400 x 400 x 400	55
STI-7553AED	629 x 502 x 186	39	PIR & MOTION DETECTOR CAGES			STI-9729	178 x 178 x 178	55
STI-7555AED	629 x 502 x 186	39	STI-9618	117 x 136 x 75	49	STI-9730	315 x 315 x 309	55
ENCLOSURES WITH HEATER			STI-9619	196 x 136 x 142	49	STI-9881	110 x 1898 x 152	55
STI-7510A-HTR	142 x 191 x 103	41	STI-9620	156 x 102 x 57	49	EMERGENCY LIGHTING CAGES		
STI-7520-HTR	206 x 256 x 83	41	STI-9621	178 x 146 x 114	49	STI-9640	267 x 349 x 70	57
STI-7561AH	838 x 533 x 152	41	STI-9622	222 x 102 x 95	49	STI-9641	273 x 372 x 100	57
ENCLOSURES WITH AIRCON			SMOKE BEAM CAGES			STI-9644	220 x 450 x 128	57
STI-7550AC	552 x 425 x 147	41	STI-9623	197 x 152 x 152	51	STI-9645	350 x 550 x 150	57
STI-7560AC	838 x 533 x 152	41	STI-9624	225 x 140 x 120	51	STI-9648	160 x 460 x 150	57
BIOMETRIC & KEYPAD COVER			STI-9840	168 x 168 x 146	51	STI-9703	127 x 343 x 102	57
BIO-7504	171 x 222 x 127	43	STI-9841	293 x 256 x 91	51			
STI-6514	76 x 98 x 69	43	STI-9845	167 x 234 x 104	51			
STI-6516	83 x 92 x 51	43	STI-9861	186 x 160 x 143	51			
STI-6518	129 x 84 x 45	43	STI-9862	187 x 122 x 70	51			
STI-6520-C	129 x 84 x 68	43						

Monitor your building from one convenient location



- Wirelessly monitor key areas of your building with the Wireless Alert Series.
- The Wireless Exit Stopper® will alert you to any authorised or unauthorised use of emergency exit doors.
- Emits a piercing 95/105 dB alarm when a protected door is opened and sends a wireless signal to a STI receiver.
- Sensors have supervised battery and signal reception.

The Wireless Alert Series wirelessly monitors numerous STI devices from one single convenient location. When the receivers detect a tripped site, an audible, visual or voice programmable message will alert which transmitter has been activated.

Three year guarantee against breakage of polycarbonate in normal use (one year on electromechanical and electronic components).

Refer to Page 62 for dimensions.

WIRELESS PRODUCTS

Residential & Commercial Wireless Alert Series

DESIGN

Specially designed to protect and monitor all areas of a building. The receivers have a compact design making them easy to either mount on a wall or place on a desk.

INSTALLATION

No difficult wiring involved. 4-Channel Voice Receiver has easy programming voice prompt and recognises the transmitter. Sensors mount easily in desired location.

ELECTRONICS

When motion or use is detected, the sensor sends a wireless signal to an indoor STI receiver. It has a supervised battery and signal reception.

CONSTRUCTION

Latching and auto-restore mode of operation. 433 MHz wireless frequency.



TRANSMITTING DEVICE



RECEIVERS



1. Wireless Doorbell Button Alert
Supplied with 4-Channel Voice Receiver, alerts when doorbell button is pressed.
STI-V34600 (includes STI-34601)

2. Wireless Extinguisher Stopper®
Wirelessly monitor and prevent misuse of fire extinguishers.
STI-6200WIR
STI-V6200WIR4 - with 4-Channel Voice Receiver
STI-6200WIR8 - with 8-Channel Receiver

3. Universal Alert Sensor
Alerts when monitored site is tripped.
STI-34401

4. Wireless Exit Stopper®
Wirelessly monitor the use of emergency exit doors.
STI-6400WIR
STI-V6400WIR4 - with 4-Channel Voice Receiver
STI-6400WIR8 - with 8-Channel Receiver

5. 8-Channel Receiver
Receiver can monitor up to 8 wireless STI devices from one convenient location.
STI-34108

6. 4-Channel Voice Receiver
Receiver can monitor up to 4 wireless STI devices from one convenient location. Sounds selectable tones or voice messages.
STI-V34108

7. Single Channel Slave Receiver
Receiver works in conjunction with a burglar alarm or control panel. When the monitored site is tripped, a wireless signal is sent to the control panel, efficiently alerting of use.
STI-34098

WIRELESS PRODUCTS

Dimensions are based on external clearance
(Height x Width x Depth)

Quick Referral Guide

Product	Dimensions (mm)	Page	Description
WIRELESS TRANSMITTERS			
STI-34201	84 x 35 x 28	online	Mailbox Alert Sensor
STI-34301	84 x 35 x 28	online	Garage Sentry Sensor
STI-34401	84 x 35 x 28	61	Universal Alert Sensor
STI-34601	90 x 25 x 19	online	Wireless Doorbell Button
WIRELESS DOOR CHIME			
STI-34401	84 x 35 x 28	61	Wireless Door Chime Sensor
STI-V34500	(STI-34401 & STI-V34104)	online	Wireless Door Chime with 4-Channel Voice Receiver
WIRELESS DOORBELL BUTTON			
STI-34601	90 x 26 x 19	online	Wireless Doorbell Button
STI-V34600	(STI-34601 & STI-V34104)	61	Wireless Doorbell Button Alert with 4-Channel Voice Receiver
WIRELESS GARAGE SENTRY ALERT			
STI-34301	84 x 35 x 28	online	Garage Sentry Sensor
STI-V34300	(STI-34301 & STI-V34104)	online	Wireless Garage Sentry Alert with 4-Channel Voice Receiver
WIRELESS MAILBOX ALERT			
STI-34201	84 x 35 x 28	online	Mailbox Alert Sensor
STI-V34200	(STI-34201 & STI-V34104)	online	Wireless Mailbox Alert with 4-Channel Voice Receiver
WIRELESS RECEIVERS			
STI-34098	64 x 38 x 13	61	Single Channel Slave Receiver
STI-34108	130 x 145 x 30	61	8-Channel Receiver
STI-V34104	164 x 70 x 27	61	4-Channel Voice Receiver
WIRELESS EXTINGUISHER STOPPER			
STI-6200WIR	136 x 136 x 50	61	Wireless Extinguisher Stopper
STI-V6200WIR4	136 x 136 x 50	61	Wireless Extinguisher Stopper with 4-Channel Voice Receiver
STI-6200WIR8	136 x 136 x 50	61	Wireless Extinguisher Stopper with 8-Channel Receiver
WIRELESS EXIT STOPPER			
STI-6400WIR	136 x 136 x 50	61	Wireless Exit Stopper
STI-V6400WIR4	136 x 136 x 50	61	Wireless Exit Stopper with 4-Channel Voice Receiver
STI-6400WIR8	136 x 136 x 50	61	Wireless Exit Stopper with 8-Channel Receiver


TESTIMONIALS

What are people saying about STI products?

“Having fitted the **Extinguisher Stoppers** we no longer have equipment being stolen over holidays, weekends and nights. Anybody wanting to protect extinguishers will certainly find value for money by using the Extinguisher Stopper.”
More information on page 14.
Alan Patmore - Fire & Safety Officer
The Luton and Dunstable Hospital



“We found the **ReSet Call Point** very easy to install & very reliable. Our customers find the call points to be very easy to use; we have also noticed that the sites that have these call points no longer call for help due to test keys jammed or glasses dislodges or broken.”
More information on page 18.
Derek Fay - Alarm Manager
Churches Fire Security Ltd



“The residents at the home were continuously leaving the emergency exit doors open. Since the **Exit Stoppers** were installed, it has proved very successful deterring the residents from misusing the Emergency Exits. It has also given the staff piece of mind especially during the night shift.”
More information on page 12.
Mrs Pawar - The Island Residential Home



“We had an intermittent problem with pupils activating the break glass call points in our automatic fire system. Each alarm led to attendance by the local fire brigade. Since Derbyshire County Council Technical Department installed the **Stoppers**, not a single false fire alarm has been recorded.”
More information on page 6.
Sue Kettle - Buxton Community School



“As an installation and maintenance company looking after clients’ air conditioning, we have installed many of the **Thermostat Covers**. These covers help reduce nuisance calls when staff have inadvertently set the operating mode incorrectly.”
More information on page 44.
Les Sweeting - Airtech UK Ltd



“We purchased the **AED Protective Cabinet** to protect Public Access Defibrillators located in Warsaw Airport. The strobe/alarm facility activates the moment the cabinet is opened drawing immediate attention. This helps prevent accidental and unwanted usage.”
More information on page 38.
Rafal Brzyski - Director of Operations
Paramedica Polska Sp. z o.o.



Your opinions matter. Submit a product review at www.sti-emea.com/support/testimonials

Accessories

CALL POINT PROTECTORS

CKE-015	Sounder & Relay Unit for Euro Stopper	7
CKE-015-LIT	Sounder Unit for Euro Stopper	7
CKE-015-WIR	Sounder, Wireless & Relay Unit for Euro Stopper	7
CKE-272-*	Housing Shell for Euro Stopper	7

(Add -R for Red, -G for Green, -B for Blue, -E for Orange, -K for Black, -W for White, -Y for Yellow)

CKS001	Sounder Unit for Universal Stopper	7
E009	Servicing Pin for Sounder Units	7
KIT-319	Remote Wiring Harness for Universal Stopper & Euro Stopper	7
STI/BS	Break Seals (Pack of 10)	7
STI-1280	Backplate for Stopper II & Weather Stopper II	7
STI-3002	Weather Gasket for Stopper II & Weather Stopper II	7
STI-3100	50mm Spacer for Stopper II & Weather Stopper II	7
STI-6506	32mm Spacer for Euro Stopper	7
STI-6507	50mm Spacer for Euro Stopper	7
STI-6508	Backplate for Euro Stopper	7
STI-6903	35mm Spacer for Call Point Stopper	7

DOOR ALARMS

L6400	Alarm Warning Emergency Exit Sign	13
STI-6400-RK	Remote Installation Kit	13
STI-6400-RS	Remote Sounder, Red	13
KIT-H19032	Replacement Key	13
KIT-H19016	Tamper Tool	13

EXTINGUISHER ALARMS

E009	Servicing Pin for Mini Theft Stopper	15
KIT-65	Break Away Seal Kit for Mini Theft Stopper	15
KIT-131	Door Clip for Mini Theft Stopper	15
KIT-132	Magnetic Reed Switch for Mini Theft Stopper	15
KIT-18015-9	Service/Deactivation Cable for Extinguisher Stopper	15
KIT-18015-RC	Operating Cable Kit for Extinguisher Stopper	15
STI-6206	Seal for Operating Cable	15
KIT-H19016	Tamper Tool	15

KEY BOXES

STI-6701	Replacement Glass for Medium Key Box	online
STI-6721-B	Replacement Glass Breaker	online
STI-6725	Replacement Plexi Glass for Small Key Box	online
STI-C051	Replacement Glass for Large Key Box	online

CALL POINTS, BUTTONS & SWITCHES

AP-MK	Alert Point Master Key	33
CI	Integral Cover	19 & 25
KIT-102722-*	5/8" Spacer for Stopper Stations	31
(Add -R for Red, -G for Green, -B for Blue, -W for White, -Y for Yellow)		
KIT-71100A-*	Back Box Kit for Stopper Stations	31
(Add -R for Red, -G for Green, -B for Blue, -W for White, -Y for Yellow)		
KIT-71101A-*	Back Box and Spacer Kit for Stopper Stations	31
(Add -R for Red, -G for Green, -B for Blue, -W for White, -Y for Yellow)		
KIT-H18061	x2 Keys for Stopper Stations (Activation Option #2)	31
KIT-H18062	x2 Keys for Stopper Stations (Activation Option #3)	31
KIT-H19030	x2 Keys for Stopper Stations (Activation Option #0)	31
RP-K	Reset & Alert Point Replacement Key	19, 25 & 33

ENVIRONMENTAL COVERS & ENCLOSURES

KIT-W07530	Wireshef for STI-7530 Series	37
C071	x2 Replacement Keys for Enclosures with Key Lock	37
KIT-314	Adapter Plate for STI-7500 Series	37
KIT-318	Adapter Plate for Mounting Pedestals	37
KIT-6279B20	Conduit Entry Kit	37
KIT-H10821	3/4" Rigid Conduit Hub	37
STI-9779	Mounting Pedestal 1500mm (H) x 450mm (W) x 450mm (D)	37
STI-9780	Mounting Pedestal 1000mm (H) x 450mm (W) x 450mm (D)	37

METAL PROTECTIVE CABINETS

18713	Replacement Backplate for STI-7560 & STI-7561	37
KIT-H18021	3/4" Rigid Conduit Hub	37
KIT-H18070	Key Lock Assembly for STI-7560 & STI-7561	37
KL544	Key Lock for STI-EM Cabinets	37

STI-HTR550T	Cabinet Heater with Fan	37
STI-MBP0506	Backplate for STI-EM07123.5 & STI-EM08073.5	37
STI-MBP0913	Backplate for STI-EM111504	37
STI-MBP1010	Backplate for STI-EM111103 & STI-EM121204	37
STI-MBP1316	Backplate for STI-EM151804	37
TL644	Thumb Lock for STI-EM Cabinets	37

POLYCARBONATE ENCLOSURES WITH ALARMS

C071	x2 Replacement Keys for Enclosures with Key Lock	39
KIT-19038	Tamper Bit for KIT-81, KIT-82 & KIT-84	39
KIT-82	8# x 1.5" Snake Eye Tamper Resistant Screws	39
KIT-M05050-*	Replacement Translucent Lens for Strobe/Siren Alarm	39
(Add -A for Amber, -B for Blue, -G for Green, -R for Red, -W for White)		
KIT-H19032	Replacement Keys for Siren Alarm	39
KIT-H19016	Tamper Tool for Siren Alarm	39

AED PROTECTIVE CABINETS

KIT-W07530	Wireshef for STI-7530 Series	39
AED-LBL	AED Label	39
KIT-H18075	Replacement Key for Strobe/Siren Alarm	39
KIT-H19032	Replacement Keys for Siren Alarm	39
KIT-H19016	Tamper Tool for Siren Alarm	39

ENVIRONMENTAL ENCLOSURES WITH HEATER & AIRCON

18713	Replacement Backplate for STI-7560 & STI-7561	41
18729	Replacement Filter for Heater/Aircon Units	41
KIT-W07530	Wireshef for STI-7530 Series	41
KIT-318	Adapter Plate for Mounting Pedestals	41
KIT-7500-HTR	Replacement Heater	41
KIT-7520-HTR	Replacement Heater Plate	41
KIT-H18021	3/4" Rigid Conduit Hub	41
KIT-H18070	Key Lock Assembly for STI-7560 Series	41
STI-9779	Mounting Pedestal 1500mm (H) x 450mm (W) x 450mm (D)	41
STI-9780	Mounting Pedestal 1000mm (H) x 450mm (W) x 450mm (D)	41
STI-HTR550T	Cabinet Heater with Fan	41

BIOMETRIC & KEYPAD PROTECTORS

102721	Adapter Plate for STI-6518	43
G770099	Gasket for STI-7700 Series	43

THERMOSTAT PROTECTORS

C068	Spare Key for Thermostat Protectors	45
KIT-H19016	Tamper Tool for STI-9102	45
19036	8# x 1.5" Snake Eye Tamper Resistant Screws	45
KIT-19038	Tamper Bit for KIT-81, KIT-82 & KIT-84	45
STI-6503	30mm Conduit Spacer for STI-9105	45
STI-6504	50mm Conduit Spacer for STI-9105	45
STI-900	50mm Conduit Spacer for STI-9110	45

CAGES & DETECTOR STOPPERS

19036	#8 x 1.5" Snake Eye Tamper Resistant Screws	47-57
KIT-19038	Tamper Bit for KIT-81, KIT-82 & KIT-84	47-57
STI-8101	50mm Conduit Spacer for Detector Stopper Series	47-57
STI-8170	Mounting Backplate for Detector Stopper Series	47-57
STI-8201-SS	50mm Spacer for Detector Stopper Series - Stainless Steel	47-57
STI-8201-W	50mm Spacer for Detector Stopper Series - White	47-57
KIT-81	#8 x 2" Snake Eye Tamper Resistant Screws	47-57
KIT-82	#8 x 1.5" Snake Eye Tamper Resistant Screws	47-57

ACCESSORY OF THE YEAR

KIT-319

Dual plug and play device allowing a 12-24 VDC input and/or relay output, which provides a secondary activation trigger when lifting the cover, which will relay a signal to an external device such as a camera or control panel.



We've got the whole world covered...



SAFETY TECHNOLOGY INTERNATIONAL, INC
HEADQUARTERS - WATERFORD, MI, USA



SAFETY TECHNOLOGY INTERNATIONAL, LTD
EUROPEAN OFFICE - WORCESTERSHIRE, UK

Contact Sales to find out where you can buy locally

sti-emea.com | 66

NOTES

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

**Safety Technology
International**

EUROPEAN OFFICE

Taylor House
34 Sherwood Road
Bromsgrove, Worcestershire
B60 3DR, UK
Phone: +44 (0)1527 520 999
Fax: +44 (0)1527 501 999
info@sti-emea.com
www.sti-emea.com

USA HEADQUARTERS

2306 Airport Road
Waterford, Michigan
48327-1209, USA
Phone: 248-673-9898
Fax: 248-673-1246
info@sti-usa.com
www.sti-usa.com

sti-emea.com | 67

unauthorised entries. stop vandalism and damage to property. get easy wireless solutions. protect devices in extreme climates and weather. prevent false fire alarms. prevent theft and unauthorised entries. stop vandalism and damage to property. get easy wireless solutions. protect devices in extreme climates and weather. prevent false fire alarms. prevent theft and unauthorised entries. stop vandalism and damage to property. get easy wireless solutions. protect devices in extreme climates



**Safety Technology
International**

Worcestershire, UK
+44 (0)1527 520 999
www.sti-emea.com

Michigan, USA
+1 (248)-673-9898
www.sti-usa.com

and damage to property. get easy wireless solutions. protect devices in extreme climates